



Safety Cover Order / Estimate

Job Identification: _____

Order - P.O. #: _____

Estimate

(Note: if no box is checked, this will be considered to be an estimate.)

Date : _____

Company Name: _____

<p>Address: _____ City: _____ State: ____ Zip: _____ Contact Person: _____ Phone: _____ Fax: _____</p>	<p style="text-align: center;"><u>Ship To (if Different)</u></p> <p>Name: _____ Address: _____ City: _____ State: ____ Zip: _____</p>
<p style="text-align: center;"><u>Cover Material and Color</u></p> <p><input type="checkbox"/> Standard Mesh <input type="checkbox"/> Green <input type="checkbox"/> Blue <input type="checkbox"/> Black <input type="checkbox"/> Ultra-Mesh (Green) <input type="checkbox"/> Solid w/Drain Panel <input type="checkbox"/> Green <input type="checkbox"/> Blue <input type="checkbox"/> Lite <input type="checkbox"/> Solid w/Automatic Pump <input type="checkbox"/> Green <input type="checkbox"/> Blue <input type="checkbox"/> Lite <input type="checkbox"/> Commercial Grade Mesh (Black)</p>	<p><u>Ship Via:</u> <input type="checkbox"/> Truck <input type="checkbox"/> UPS <input type="checkbox"/> Air Freight <input type="checkbox"/> Customer Pickup</p>
<p><u>Pool Type</u> <input type="checkbox"/> Vinyl <input type="checkbox"/> Gunite <input type="checkbox"/> Other _____ Type of Deck _____ Coping: Type _____ Width _____</p>	<p><u>Spacing</u> <input type="checkbox"/> 5' x 5' (some covers not available in 5' x 5') <input type="checkbox"/> 3' x 3'</p> <p><u>Anchor Type</u> <input type="checkbox"/> Concrete Deck (Standard) <input type="checkbox"/> Wood Deck <input type="checkbox"/> Add collars / flanges <input type="checkbox"/> Other or combination Specify _____</p>

Is any special hardware needed? _____

If the pool is a "traditional" package pool shape shown below:


1. Check the box for the shape and provide all required "Pool Size" dimensions.
2. If the pool has a step, show its size and location on this sheet or draw it on Page 3.
3. If the pool does not have at least 3' of clear unobstructed deck all around it, please see back page, since this may require some form of special treatment.

Note: All Gunite pools should be "A-B" measured, due to their lack of symmetry.

<p style="text-align: center;">Corners <input type="checkbox"/> Radius of _____ <input type="checkbox"/> Diagonal of _____ <input type="checkbox"/> Square</p> <p style="text-align: center;"><input type="checkbox"/> Rectangle</p>	<p style="text-align: center;"><input type="checkbox"/> Grecian</p>	<p style="text-align: center;"><input type="checkbox"/> Oval</p>
<p style="text-align: center;">Corners <input type="checkbox"/> Radius of _____ <input type="checkbox"/> Diagonal of _____ <input type="checkbox"/> Square</p> <p style="text-align: center;"><input type="checkbox"/> Roman End</p>	<p style="text-align: center;">Corners <input type="checkbox"/> Radius of _____ <input type="checkbox"/> Diagonal of _____ <input type="checkbox"/> Square</p> <p style="text-align: center;"><input type="checkbox"/> Lazy-L <input type="checkbox"/> This direction <input type="checkbox"/> Opposite dir.</p>	<p style="text-align: center;">Corners <input type="checkbox"/> Radius of _____ <input type="checkbox"/> Diagonal of _____ <input type="checkbox"/> Square</p> <p style="text-align: center;"><input type="checkbox"/> True-L <input type="checkbox"/> This Direction <input type="checkbox"/> Other dir.</p>

"A - B" Measuring Instructions for Freeform and Custom Pools

1. Draw a freehand sketch of the pool in the space provided at right or on a separate piece of paper.
2. Establish two points outside the pool, "A" and "B". They should be about 2/3 of the length of the pool, and are most commonly 20' to 25' apart. The points should be no less than 15' apart. If possible, the line between the points should be at least 5' from the closest point on the pool. This "A-B" line, or any extension of it, must never intersect the pool. Facing the pool, Point "A" should be on you left, and Point "B" should be on you right.
3. Be sure to show points "A" and "B" on the sketch, and be very careful to provide the exact distance between "A" and "B".
4. With chalk, or some other non-permanent method, mark and number, on the inner edge of the pool, a series of numbered points. Start with point "1" and work clockwise, proceeding with points "2", "3", "4", etc. Most points should be about 3' apart. Where there is a sharp bend, these points should be only 1' to 2' apart. Where there is a perfectly straight wall section, the points can be more that 3' apart. Be sure to show all points where corners begin and end. Similarly, be sure to establish and identify all points where a raised wall section, waterfall, planter, etc. begins and ends. Locate and identify all non-removable obstructions, such as diving board or sliding board stands, ladders, hand rails, etc.
5. Measure from Point "A" to point "1" and record this measurement on the form. Do the same for points "2", "3", "4", etc. Then do the same from Point "B" to all the points.






"A-B" MEASURING SHEET

295 Lower Morrisville Rd. Fallsington, PA 19054 800-222-3650 • FAX 800-222-5250

COMPANY _____

DATE _____

JOB NAME _____



PT	A	B	PT	A	B	PT	A	B
1			21			41		
2			22			42		
3			23			43		
4			24			44		
5			25			45		
6			26			46		
7			27			47		
8			28			48		
9			29			49		
10			30			50		
11			31			51		
12			32			52		
13			33			53		
14			34			54		
15			35			55		
16			36			56		
17			37			57		
18			38			58		
19			39			59		
20			40			60		

- Distance from "A" to "B": _____
(This is extremely important)
- Overall Length: _____ from point _____ to point _____
- Overall Width: _____ from point _____ to point _____

Company _____ Job Name _____

If the pool has at least 3 ft. of clear, unobstructed deck all the way around, no special treatments are required.

- If obstructions such as ladders are removable, remove them when cover is in use, and do not show them on this form.
- Examine the pool area for obstructions such as those listed.
- Mark the boxes below and carefully locate and label the obstructions on you drawing. Use "A-B" points on page 3, or distances from corners on page 1.
- Photographs are needed if the pool has raised walls, waterfalls, spas, or anything else out of the ordinary.

Yes No Does the pool have at least 3 ft. of unobstructed deck all the way around? If no, what is the width of the deck? _____

Yes No Is there a diving board stand? Distance set back from pool _____
Width of stand _____

Yes No Are there slide stand legs within 3 ft. of the pool?

Yes No Are there non-removable ladders, handrails, grabrails, raised rail-goods, sockets, or fill-spouts? We need to know how far they are set back from or extend into the pool, as well as exact location.

Yes No Is there a grass area, planter, or gravel area within 3 ft. of the pool?
Do you prefer : Lawn tubes w/anchors Lawn Stakes
(Stakes must not exceed 10% of total anchoring points.)

Yes No Is there a dive rock or grab rock?

Yes No Is there a raised wall, raised planter, waterfall, or rock formation?
• Is it strong enough for cover to attach to with snap hooks, cable, and eyebolts? Yes No
• Height above rest of deck: _____

Yes No Is there a spa near the pool?
• Is spa to be: Covered by pool cover? Covered by separate cover? Not covered?
• Is the spa raised above the deck level?
 Yes No If raised, how high? _____
• Is the spa dividing wall flush with the top of the coping? Yes No
Width of dividing wall: _____
• Does the spa have a spillway? Yes No
(Spillways must be padded.)

Yes No Does the pool have more than one deck level?
• Do you prefer: Raised wall treatment? Up and over?

Special instructions or comments : _____

